



High Performance & Cost-Efficiency

- ▶ Water Filtration System
- ▶ Gravity Water Filtration



Water Filtration System

-Compact Whole House Water Purification

Specification

Model No	TABB-101	TABB-102	TABB-103
Product Name	Big Blue Water Filtration System		
Product Type	High Flow Big Blue Size		
Filter Size	10" x 4.5"		
Filter level	1 stage	2 stage	3 stage
1 st Stage Filter	10" big blue filter housing with CTO carbon block Filter	10" big blue filter housing with 5 micron PP Filter	10" big blue filter housing with 5 micron PP Filter
2 nd Stage Filter	—	10" big blue filter housing with CTO carbon block Filter	10" big blue filter housing with UDF Carbon Filter
3 rd Stage Filter	—	—	10" big blue filter housing with UDF Carbon Filter
Maximum Pressure	100 psi		
Maximum Temperature	100 °F		
Parts and Accessories	With single stage metal housing bracket	With dual stage metal housing bracket	With three stage metal housing bracket
Country of Origin (CO)	TAIWAN		

Big Blue Water Filtration System

TABB-103



Big Blue Water Filtration System

TABB-203

Specification

Model No	TABB-201	TABB-202	TABB-203
Product Name	Big Blue Water Filtration System		
Product Type	High Flow Big Blue Size		
Filter Size	20" x 4.5"		
Filter level	1 stage	2 stage	3 stage
1 st Stage Filter	20" big blue filter housing with CTO carbon block Filter	20" big blue filter housing with 5 micron PP Filter	20" big blue filter housing with 5 micron PP Filter
2 nd Stage Filter	—	20" big blue filter housing with CTO carbon block Filter	20" big blue filter housing with UDF Carbon Filter
3 rd Stage Filter	—	—	20" big blue filter housing with CTO carbon block Filter
Maximum Pressure	100 psi		
Maximum Temperature	100 °F		
Parts and Accessories	With single stage metal housing bracket	With dual stage metal housing bracket	With three stage metal housing bracket
Country of Origin (CO)	TAIWAN		

Water Filtration System

-Stainless Steel Whole House Water Purification

SIMPLE / FRESH / HEALTHY /

/ Features /

- ▶ High Quality Stainless Steel 304L.
- ▶ International Quality Standard.
- ▶ No power consumption, environmentally friendly.
- ▶ High Flow Volume Housing and Filters.
- ▶ NSF certified filter media.



Stainless Steel Water Filtration System

■ Specification

Model No	TASS-101	TASS-201
Product Name	Stainless Steel Water Filtration System	
Product Type	Stainless Steel Housing Type	
Application	Whole house pre-filtration system, not for drinking	
Filter level	1 stage	
1 st Stage Filter	10" big blue 5 micron PP with CTO filte	20" big blue 5 micron PP with CTO filte
Filter Size	10" x 4.5"	20" x 4.5"
Maximum Pressure	100 psi	
Maximum Temperature	100 °F	
Country of Origin (CO)	TAIWAN	

Gravity Water Filtration

- Eco-Friendly Design, Portable & Washable Membrane

Green-Tak



/ Features /

- ▶ Cost-effective.
- ▶ High Flow Volume.
- ▶ No wastewater.
- ▶ High Filtration Performance.
- ▶ Washable and Easy maintenance by residents.

SUS304 Gravity Water Filtration System

NH-12 / NH-20 / NV-30



■ Specification

Model No	NH-12	NH-20	NV-30
Product Name	Stainless Steel Gravity Water Filtration System		
Application	Washing, cooking, daily use		
Filter level	1 stage		
1 st Stage Filter	Gravity Water Filtration Membrane		
Membrane Size	112mm *68 pc	112mm *125 pc	185mm *115 pc
Flow Rate	1.2 L/M	2.0 L/M	3.0 L/M
Output Capacity	720L/Per Day (@10 hour)	1.2T/Per Day (@10 hour)	1.8T/Per Day (@10 hour)
Maximum Pressure	100 psi		
Maximum Temperature	100 °F		
Parts and Accessories	12 inches stainless steel filter housing	20 inches stainless steel filter housing	30 inches stainless steel filter housing
Country of Origin (CO)	TAIWAN		


www.green-tak.com



38

Gravity Water Filtration

-Widely Used for Rainwater, River Water Purification



High Flow Gravity Water Filtration System

NS-400

■ Specification

Model No	NS-400
Product Name	Stainless Steel Gravity Water Filtration System
Power Consumption	No Power Required
Application	Washing, cooking, daily use
Filter level	1 stage
1 st Stage Filter	Gravity Water Filtration Membrane
Membrane Size	315mm *133 pc
Flow Rate	6.0 L/M
Output Capacity	3.6T/Per Day (@10 hour)
Maximum Pressure	100 psi
Maximum Temperature	100 °F
Membrane Lifetime	3 year
Parts and Accessories	400 stainless steel water tank
Country of Origin (CO)	TAIWAN